

# Envi GreenPURE UT 120



## Envi GreenPURE UT 120

Our Envi GreenPURE UT 120 reverse osmosis system with integrated tank offers a reliable and efficient solution for pure water treatment for laboratory and industrial applications.

- **Simple integration and operability:** The ready-to-connect and compact system enables quick integration into existing systems, even in areas with little usable space.
- **Direct supply:** Thanks to the integrated unit consisting of a tank and a supply pump, the systems feed the consumers directly with the required quantity of pure water.



### Envi GreenPURE

<b>Permeate output</b> (l/h)
<b>Desalination rate</b> (%)
<b>Efficiency/yield</b> (%)
<b>Pre-filter</b>
<b>Dimensions</b> (width x depth x height in mm)
<b>Feed water quality</b>
<b>Connection</b> (feed water/permeate/channel)
<b>Feed water pressure</b> (bar)
<b>Storage Tank capacity</b> (l)
<b>Nominal power supply pump</b> (m <sup>3</sup> /h)
<b>At delivery head</b> (bar)
<b>Maximum operating temperature</b> (°C)
<b>Ambient temperature</b> (°C)
<b>Electrical connection</b> (V/Hz)
<b>Power consumption</b> (kW)

### UT 120

120
> 97
50
5" activated carbon filter
900 x 630 x 665
municipal water
½" AG / ½" AG / HT 50
3 - 6
100
1,2
3,7
5 - 35
5 - 40
230/50
1

Article no.

320054

## Options, spare parts and consumables

### Spare parts and consumables

UT 120

---

#### Hardness stabilisation filter cartridge

331012

---

#### 5" Filter cartridge

5 µm with activated carbon

455099

---

#### Membrane element

410177